



# **National Management Measures to Control Nonpoint Source Pollution from Urban Areas— Draft**

U.S Environmental Protection Agency  
Office of Wetlands, Oceans, and Watersheds  
Nonpoint Source Control Branch  
1200 Pennsylvania Avenue, N.W.  
Washington, DC 20460  
<http://www.epa.gov/owow/nps>

July 2002

# CONTENTS

---

## Introduction

A. Purpose and Scope of the Guidance .....	1-1
1. Management Measures.....	1-2
2. Document Organization .....	1-5
B. Origin and Regulatory Context .....	1-6
1. Origin of This Guidance.....	1-6
2. Regulatory Context .....	1-7
C. Key Concepts .....	1-10
1. Watershed Approach.....	1-10
2. Stream Network.....	1-11
a. Watershed scales .....	1-12
b. National-level scales .....	1-12
c. Local-level scales .....	1-12
3. Impervious and Pervious Surfaces in the Urban Landscape .....	1-14
a. Total and effective impervious surface .....	1-14
b. Pervious surfaces.....	1-15
4. Impervious Cover Model .....	1-15
a. Subwatersheds as the primary management unit .....	1-16
b. Classification levels.....	1-17
5. Changes in the Watershed Due to Increased Imperviousness.....	1-18
6. Nonpoint Source Pollutants and Their Impacts .....	1-26
a. Sediment.....	1-26
b. Nutrients .....	1-29
c. Oxygen-demanding substances.....	1-29
d. Pathogens .....	1-30
e. Road salts .....	1-30
f. Hydrocarbons .....	1-30
g. Heavy metals .....	1-31
h. Toxic pollutants.....	1-31
i. Temperature .....	1-31
7. Nonpoint Source Pollutant Loading.....	1-31
8. Other Impacts of Urban Runoff .....	1-32
9. Management Practices.....	1-32

Information Resources .....	1-34
References .....	1-36

---

## Management Measure 1: Program Framework and Objectives

A. Management Measure .....	2-1
B. Management Measure Description and Selection .....	2-1
1. Description .....	2-1
a. Role of federal government.....	2-1
b. Role of state government.....	2-1
c. Role of regional authorities .....	2-2
d. Role of local government .....	2-3
2. Management Measure Selection .....	2-4
C. Management Practices.....	2-4
1. Establish Legal Authority.....	2-4
a. Examine existing laws and regulations .....	2-5
b. Develop or improve ordinances for water quality enhancement.....	2-5
2. Develop an Institutional Structure .....	2-14
a. Establish a watershed baseline .....	2-14
b. Set up an institutional structure .....	2-17
c. Determine budgetary resources available for watershed planning.....	2-20
d. Project future land use change in the watershed/subwatershed .....	2-20
e. Develop subwatershed plan.....	2-22
f. Adopt and implement the watershed plan.....	2-22
g. Revisit and update the watershed and subwatershed plan.....	2-22
3. Provide Adequate Funding and Staffing .....	2-22
a. Taxes and fees .....	2-24
b. Bonds.....	2-24
c. Leases .....	2-25
d. Intergovernmental transfers and assistance.....	2-25
e. Public-private partnerships.....	2-25
4. Foster Input From Technical Experts, Citizens, and Stakeholders .....	2-25
a. Technical committees.....	2-26
b. Citizen committees.....	2-26
c. Stakeholder committees.....	2-26
5. Establish Intergovernmental Coordination.....	2-28
6. Develop Training and Education Programs and Materials .....	2-29

Information Resources .....	2-30
References .....	2-33

---

## **Management Measure 2: Watershed Assessment**

A. Management Measure .....	3-1
B. Management Measure Description and Selection.....	3-1
1. Description .....	3-1
2. Management Measure Selection .....	3-1
C. Management Practices.....	3-4
1. Characterize Watershed Conditions .....	3-4
a. Establish a reference condition .....	3-4
b. Model pollutant sources and loads.....	3-4
c. Model receiving water quality.....	3-8
d. Assess cumulative effects.....	3-9
e. Estimate the effectiveness of treatment practices .....	3-10
2. Establish a Set of Watershed Indicators.....	3-12
a. Establish water quality indicators .....	3-12
b. Establish physical and hydrological indicators .....	3-15
c. Establish biological indicators .....	3-17
d. Establish programmatic indicators .....	3-20
e. Develop a suite of social indicators.....	3-20
Information Resources .....	3-21
References .....	3-24

---

## **Management Measure 3: Watershed Protection**

A. Management Measure .....	4-1
B. Management Measure Description and Selection.....	4-1
1. Description .....	4-1
2. Management Measure Selection .....	4-2
C. Management Practices.....	4-3
1. Identify Critical Conservation Areas.....	4-3
2. Preserve Environmentally Significant Areas .....	4-5
a. Continue to own the property .....	4-6
b. Relinquish ownership of the property .....	4-10
3. Establish and Protect Stream Buffers.....	4-11

a.	Establish a buffer ordinance.....	4-12
b.	Develop vegetative and use strategies within management zones .....	4-12
c.	Establish provisions for buffer crossings .....	4-13
d.	Integrate structural runoff management practices where appropriate.....	4-13
e.	Develop buffer education and awareness programs.....	4-13
4.	Promote Urban Forestry .....	4-14
5.	Encourage Waterbody and Natural Drainage Protection When Siting Developments ..	4-15
a.	Use cluster zoning and planned unit development.....	4-15
b.	Consider resource protection zones.....	4-15
c.	Practice performance-based zoning .....	4-16
d.	Establish overlay zones .....	4-16
e.	Establish bonus or incentive zoning.....	4-16
f.	Consider large lot zoning .....	4-17
g.	Practice agricultural protection zoning .....	4-17
h.	Use watershed-based zoning .....	4-17
i.	Delineate urban growth boundaries.....	4-18
	Information Resources .....	4-21
	References .....	4-24

---

## Management Measure 4: Site Development

A.	Management Measure .....	4-27
B.	Management Measure Description and Selection.....	4-27
1.	Description .....	4-27
2.	Management Measure Selection .....	4-28
C.	Management Practices.....	4-31
1.	Site Planning Practices .....	4-32
a.	Fit the site to the natural gradient.....	4-32
b.	Practice site fingerprinting .....	4-32
c.	Use cluster development .....	4-33
d.	Create open space.....	4-34
2.	On-lot impervious surfaces .....	4-42
a.	Reduce the hydraulic connectivity of impervious surfaces.....	4-42
b.	Practice rooftop greening .....	4-42
c.	Relax frontage and setback requirements.....	4-44
d.	Modify sidewalk standards.....	4-45
e.	Modify driveway standards.....	4-45

3. Residential street and right-of-way impervious surfaces .....	4-46
a. Decrease street pavement width and length .....	4-46
b. Decrease street right-of-way width .....	4-46
c. Use alternative cul-de-sac designs .....	4-47
4. Parking Lot Impervious Surfaces .....	4-49
5. Xeriscaping Techniques .....	4-50
Information Resources .....	4-53
References .....	4-55

---

## Management Measure 5: New Development Runoff Treatment

A. Management Measure .....	4-59
B. Management Measure Description and Selection.....	4-59
1. Description .....	4-59
a. Pollutants and total suspended solids .....	4-61
b. Runoff .....	4-63
2. Management Measure Selection .....	4-64
3. General Categories of Urban Runoff Control .....	4-67
a. Infiltration practices .....	4-67
b. Filtration practices.....	4-68
c. Detention/retention practices.....	4-68
d. Evaporation practices .....	4-69
C. Management Practices.....	4-69
1. Detention Ponds or Vaults .....	4-78
2. Ponds .....	4-78
3. Wetlands.....	4-82
4. Infiltration Practices .....	4-87
a. Infiltration basins.....	4-87
b. Infiltration trenches .....	4-87
c. Pervious and modular pavement .....	4-90
5. Filtering Practices.....	4-91
a. Filtration basins and sand filters.....	4-92
b. Media filtration units.....	4-97
c. Bioretention systems .....	4-98
6. Open Channel Practices .....	4-101
7. Miscellaneous Practices .....	4-103
a. Water quality inlets .....	4-104

b.	Hydrodynamic devices.....	4-104
c.	Baffle boxes.....	4-105
d.	Catch basin inserts.....	4-106
e.	Alum.....	4-106
f.	Vegetated filter strips .....	4-106
g.	Street surface storage .....	4-108
h.	On-lot storage practices.....	4-109
	Information Resources .....	4-112
	References .....	4-114

---

## **Management Measure 6: New and Existing On-site Wastewater Treatment Systems**

A.	Management Measure .....	4-120
B.	Management Measure Description and Selection.....	4-121
1.	Description .....	4-121
2.	Management Measure Selection .....	4-124
C.	Management Practices.....	4-125
1.	Permitting and Installation Programs.....	4-125
a.	Planning activities .....	4-125
b.	System selection, site evaluation, design, and installation.....	4-128
c.	Education, training, licensing, and/or certification programs .....	4-136
d.	Inspection of new on-site wastewater treatment systems.....	4-139
e.	Installation of conventional or alternative systems .....	4-140
2.	Operation and Maintenance Programs .....	4-156
a.	Development of system inventories and assessment of maintenance needs .....	4-158
b.	Management, operation, and maintenance policies .....	4-160
c.	Inspection and monitoring programs.....	4-165
d.	Management of residuals to ensure that they do not present significant risks to human health or water resources .....	4-169

Information Resources .....	4-171
References .....	4-172

---

## Management Measure 7: Bridges and Highways

A. Management Measure .....	4-180
B. Management Measure Description and Selection.....	4-180
1. Description .....	4-180
2. Management Measure Selection .....	4-185
C. Management Practices.....	4-185
1. Site Planning and Design Practices.....	4-186
2. Structural Runoff Controls for Highways .....	4-186
a. Live stakes.....	4-186
b. Fascines .....	4-186
c. Brushlayers.....	4-187
d. Branchpacking.....	4-187
e. Live gully repair.....	4-187
f. Live cribwalls.....	4-187
g. Vegetated rock gabions .....	4-187
h. Vegetated rock walls .....	4-187
i. Joint planting .....	4-188
j. Other runoff and sediment controls for highways.....	4-188
3. Structural Runoff Controls for Bridges .....	4-188
a. Scupper drains with runoff conveyance systems .....	4-188
b. Other runoff treatment practices .....	4-189
4. Bridge Operation and Maintenance Controls.....	4-189
a. Enclosures .....	4-189
b. Containment and collection.....	4-190
5. Nonstructural Runoff Control Practices.....	4-190
a. Eliminate curbs.....	4-191
b. Control litter and debris on roadsides .....	4-191
c. Manage pesticide and herbicide use.....	4-191
d. Reduce fertilizer use.....	4-192
e. Reduce direct discharges.....	4-192
f. Practice dewatering .....	4-192
g. Practice spill prevention and control.....	4-192
h. Properly handle and dispose of concrete and cement .....	4-192

i.	Manage contaminated soil and water .....	4-192
j.	Practice environmentally friendly winter road maintenance.....	4-193
	Information Resources .....	4-195
	References .....	4-197

---

## Management Measure 8: Construction Site Erosion, Sediment, and Chemical Control

A.	Management Measure .....	5-1
B.	Management Measure Description and Selection.....	5-1
1.	Description .....	5-1
a.	Sediment.....	5-2
b.	Pesticides.....	5-4
c.	Petroleum products.....	5-4
d.	Fertilizers.....	5-4
e.	Solid wastes.....	5-4
f.	Construction chemicals .....	5-4
g.	Contaminated soils .....	5-5
2.	Management Measure Selection .....	5-5
C.	Management Practices.....	5-6
1.	Erosion and Sediment Control Programs .....	5-6
a.	Prepare erosion and sediment control plans.....	5-6
b.	Provide education and training opportunities for designers, developers, and contractors .....	5-9
c.	Establish plan review and modification procedures.....	5-10
d.	Assess ESC practices after storm events.....	5-10
e.	Ensure ESC plan implementation .....	5-11
2.	Erosion Control Practices.....	5-12
a.	Schedule projects so clearing and grading are done during the time of minimum erosion potential.....	5-12
b.	Phase construction.....	5-12
c.	Practice site fingerprinting .....	5-14
d.	Locate potential pollutant sources away from steep slopes, waterbodies, and critical areas.....	5-14
e.	Route construction traffic to avoid existing or newly planted vegetation.....	5-14
f.	Protect natural vegetation with fencing, tree armoring, and retaining walls or tree wells .....	5-14
g.	Stockpile topsoil and reapply to revegetate site .....	5-14

h. Cover or stabilize soil stockpiles.....	5-14
i. Use wind erosion controls .....	5-15
j. Intercept runoff above disturbed slopes and convey it to a permanent channel or storm drain .....	5-15
k. On long or steep, disturbed, or man-made slopes, construct benches, terraces, or ditches at regular intervals to intercept runoff .....	5-15
l. Use retaining walls .....	5-15
m. Provide linings for urban runoff conveyance channels .....	5-15
n. Use check dams .....	5-16
o. Use seeding .....	5-16
p. Use mulches .....	5-16
q. Use sodding for permanent stabilization.....	5-17
r. Install erosion control blankets .....	5-17
s. Use chemical stabilization.....	5-18
t. Use wildflower cover .....	5-20
3. Sediment Control Practices .....	5-20
a. Install sediment basins .....	5-21
b. Use modified risers and skimmers .....	5-22
c. Install sediment traps.....	5-24
d. Use silt fence .....	5-24
e. Establish inlet protection.....	5-25
f. Designate and reinforce construction entrances.....	5-25
g. Install vegetated filter strips .....	5-26
h. Use vegetated buffers .....	5-26
4. Develop and Implement Programs to Control Chemicals and Other Construction Materials.....	5-26
a. Develop and implement a materials management program .....	5-26
b. Develop and implement a spill control plan.....	5-28
c. Develop and implement a waste disposal program.....	5-29
Information Resources .....	5-32
References .....	5-33

---

## Management Measure 9: Pollution Prevention

A. Management Measure .....	6-1
B. Management Measure Description and Selection.....	6-1
1. Description .....	6-1
a. Household hazardous wastes.....	6-2

b.	Failing septic systems.....	6-3
c.	Lawn and garden activities.....	6-3
d.	Commercial activities.....	6-4
e.	Pet wastes .....	6-4
f.	Trash.....	6-4
2.	Management Measure Selection .....	6-4
C.	Management Practices.....	6-5
1.	Household Hazardous Wastes .....	6-5
a.	Promote the use of alternative products .....	6-5
b.	Educate the public on proper storage and disposal of hazardous materials .....	6-7
c.	Conduct storm drain stenciling .....	6-7
d.	Encourage responsible car washing practices .....	6-7
2.	Lawn, Garden, and Landscape Activities.....	6-8
a.	Lawn conversion .....	6-9
b.	Soil building .....	6-9
c.	Grass selection.....	6-10
d.	Mowing and thatch management .....	6-10
e.	Minimal fertilization .....	6-10
f.	Weed control and tolerance.....	6-11
g.	Pest management.....	6-12
h.	Sensible irrigation .....	6-15
3.	Commercial Activities .....	6-15
a.	Detect and eliminate illicit connections .....	6-15
b.	Encourage good housekeeping practices at commercial facilities .....	6-18
c.	Provide training and education for employees and customers.....	6-18
d.	Devise spill prevention, control, and cleanup plans.....	6-18
e.	Conduct an environmental audit .....	6-19
f.	Practice safe equipment washing and maintenance .....	6-19
g.	Use care when performing construction, repairs, or remodeling .....	6-19
4.	Proper Disposal of Pet Waste.....	6-20
5.	Trash.....	6-20
6.	Nonpoint Source Pollution Education for Citizens .....	6-22
a.	Use multilingual nonpoint source messages .....	6-23
b.	Use classroom education to deliver nonpoint source messages.....	6-23

---

Information Resources .....	6-25
References .....	6-28

---

## Management Measure 10: Existing Development

A. Management Measure .....	7-1
B. Management Measure Description and Selection.....	7-1
1. Description .....	7-1
2. Management Measure Selection .....	7-3
C. Management Practices.....	7-4
1. Identify, Prioritize, and Schedule Retrofit Opportunities .....	7-4
a. Evaluate existing data.....	7-4
b. Choose appropriate management practices based on site conditions.....	7-5
c. Incorporate low impact development practices into existing development .....	7-5
2. Implement Retrofit Projects as Scheduled .....	7-6
a. Retrofit existing runoff management facilities.....	7-6
b. Modify the upstream end of road culverts .....	7-7
c. Modify storm drainage pipe outfalls .....	7-8
d. Add retention structures to channelized streams.....	7-8
e. Install runoff management practices in or adjacent to large parking areas .....	7-8
f. Construct new practices in highway rights-of-way.....	7-8
g. Install trash-capturing devices.....	7-8
h. Install inlet and grate inserts.....	7-9
3. Restore and Limit the Destruction of Natural Runoff Conveyance Systems.....	7-9
a. Disconnect impervious areas.....	7-9
b. Encourage overland sheet flow .....	7-10
c. Increase flow path .....	7-10
d. Use open swales in place of traditional storm drain systems.....	7-10
e. Establish vegetation throughout the site.....	7-10
f. Reestablish ground water recharge .....	7-11
g. Protect sensitive areas .....	7-12
4. Restore Natural Streams .....	7-12
a. Partially restore the predevelopment hydrologic regime .....	7-13
b. Reduce urban pollutant pulses.....	7-13
c. Stabilize channel morphology .....	7-13
d. Restore in-stream habitat structure.....	7-15
e. Reestablish riparian cover .....	7-15

f. Protect critical stream substrates .....	7-15
g. Allow for recolonization of the stream community .....	7-15
h. Daylight streams.....	7-15
5. Preserve, Enhance, or Establish Buffers .....	7-17
6. Revitalize Urban Areas .....	7-17
a. Encourage infill development .....	7-17
b. Assess previously contaminated soils to promote redevelopment.....	7-18
Information Resources .....	7-20
References .....	7-22

---

## Management Measure 11: Operation and Maintenance

A. Management Measure .....	8-1
B. Management Measure Description and Selection.....	8-1
1. Description .....	8-1
2. Management Measure Selection .....	8-2
C. Management Practices.....	8-2
1. Establishing an Operation and Maintenance Program .....	8-2
a. Establish a runoff control operation and maintenance ordinance .....	8-2
b. Make provisions for maintenance in the design and construction of management practices.....	8-3
c. Identify mechanisms for program funding.....	8-3
d. Plan regular inspections .....	8-4
e. Schedule maintenance, cleaning, and debris removal to avoid sediment accumulation .....	8-4
f. Make provisions for monitoring of treatment criteria.....	8-4
g. Implement training certification programs and provide educational opportunities for management practice operators .....	8-4
2. Source Control Operation and Maintenance .....	8-5
a. Infrastructure .....	8-5
b. Trash in channels and creeks.....	8-6
3. Treatment Control Operation and Maintenance.....	8-6
a. Ponds and wetlands .....	8-6
b. Infiltration practices .....	8-10
c. Filtration practices.....	8-11

Information Resources .....	8-14
References .....	8-15

---

## **Management Measure 12: Evaluate Program Effectiveness**

A. Management Measure .....	9-1
B. Management Measure Description and Selection.....	9-1
1. Description .....	9-1
2. Management Measure Selection .....	9-1
C. Management Practices.....	9-1
1. Assess the Runoff Management Program Framework.....	9-1
a. Qualitative measures .....	9-2
b. Quantitative measures .....	9-3
c. Quality assurance/quality control.....	9-3
2. Track Management Practice Implementation .....	9-3
a. Track permits.....	9-4
b. Use operation and maintenance records.....	9-4
c. Use geographic information systems .....	9-4
d. Develop surveys .....	9-5
e. Consider expert evaluations .....	9-5
3. Gauge Improvements in Water Quality Resulting from Management Practice Implementation .....	9-6
a. Conduct trend monitoring .....	9-8
b. Conduct effectiveness monitoring.....	9-9
4. Develop and Implement a Schedule to Improve the Management Program Framework .....	9-9
Information Resources .....	9-11
References .....	9-12

## Tables

Table 1.1:	Leading sources of water quality impairment related to human activities for rivers, lakes, and estuaries .....	1-1
Table 1.2:	Key differences between the <i>Guidance Specifying Management Measures for Sources of Nonpoint Pollution in Coastal Waters and National Urban Nonpoint Source Management Measure Guidance</i> .....	1-7
Table 1.3:	National stream order statistics .....	1-11
Table 1.4:	Idealized characteristics of five watershed management units with respect to size and the influence of impervious cover.....	1-17
Table 1.5:	Characteristics of aquatic integrity in urban watersheds.....	1-18
Table 1.6:	Impacts from increases in impervious surfaces.....	1-21
Table 1.7:	Summary of case studies linking urbanization to hydrological impacts on streams.....	1-22
Table 1.8:	Typical pollutant concentrations found in urban storm water.....	1-26
Table 2.1:	Redesign analyses comparing impervious cover and storm water runoff from conventional and open space subdivisions .....	2-7
Table 2.2:	Summary of the Randleman Lake Water Supply Watershed Protection Rules.....	2-10
Table 2.3:	Elements of three watershed management structures .....	2-19
Table 2.4:	Types of taxes and fees that can be used to raise money for storm water management programs .....	2-24
Table 4.1:	Cost comparison of stream preservation vs. stream restoration.....	4-3
Table 4.2:	Types of lands that should be preserved for watershed protection .....	4-4
Table 4.3:	Comparison of conventional and low-impact alternative designs for the Chapel Run site .....	4-37
Table 4.4:	Sediment particle size distribution .....	4-62
Table 4.5:	Select local and state programs with TSS performance standards.....	4-65
Table 4.6:	Select local programs with peak discharge and/or runoff volume performance standards.....	4-65
Table 4.7:	Advantages and disadvantages of management practices.....	4-70
Table 4.8:	Regional, site-specific, and maintenance considerations for management practices.....	4-72
Table 4.9:	Effectiveness of management measures for runoff control.....	4-74
Table 4.10:	Costs of selected management practices .....	4-76
Table 4.11:	Design considerations for ponds and wetlands, continued .....	4-81
Table 4.12:	Common causes of OWTS failure .....	4-121
Table 4.13:	Pollutants of concern for OWTSs .....	4-122
Table 4.14:	Site features that should be evaluated before OWTS design and installation..	4-134

Table 4.15:	Practices to characterize surface and subsurface features of proposed OWTS sites .....	4-135
Table 4.16:	Practices to characterize subsurface conditions through test pit inspection.....	4-136
Table 4.17:	Survey of state certification and licensing programs .....	4-138
Table 4.18:	Treatment technologies for OWTSs.....	4-141
Table 4.19:	Wastewater constituents of concern and representative estimates of concentrations in the effluent of various treatment units .....	4-146
Table 4.20:	Summary of estimated capital and operation and maintenance costs for OWTSs .....	4-148
Table 4.21:	Guidelines for OWTS management programs under a tiered approach .....	4-161
Table 4.22:	Program elements and functional responsibilities example matrix.....	4-162
Table 4.23:	Comparison of current and federally mandated flow rates and flush volumes	4-168
Table 4.24:	Residential wastewater pollutant contributions by source .....	4-169
Table 4.25:	Primary sources of highway runoff pollutants .....	4-183
Table 4.26:	Range of average values for runoff contaminant concentration for selected highway contaminants.....	4-183
Table 4.27:	Results of three studies that analyzed chemical and physical parameters of snowmelt .....	4-185
Table 4.28:	Advantages and disadvantages of road salt and alternative deicing chemicals.....	4-194
Table 5.1:	Erosion and sediment associated with construction.....	5-3
Table 5.2:	ESC plan requirement for selected states .....	5-7
Table 5.3:	Cost and effectiveness for selected erosion control practices .....	5-13
Table 5.4:	Summary of operating performance data for six test sites .....	5-20
Table 5.5:	Cost and effectiveness for selected sediment control practices .....	5-21
Table 5.6:	Sediment retention efficiency of sediment basins.....	5-23
Table 6.1:	Less-toxic alternatives to household chemicals .....	6-5
Table 8.1:	Street sweeper O&M costs .....	8-5
Table 8.2:	Maintenance costs, activities, and schedules for runoff control practices in 1998 dollars .....	8-7
Table 8.3:	Typical O&M equipment and material costs .....	8-12
Table 9.1:	Examples of variables that can be measured to assess changes in management practice implementation and water quality .....	9-8

## Figures

Figure 1.1:	Components of a comprehensive runoff management program .....	1-2
Figure 1.2:	Twelve management measures associated with the runoff management program cycle.....	1-4
Figure 1.3:	Scales of watershed management units.....	1-13
Figure 1.4:	Impacts of urbanization on the water cycle.....	1-19
Figure 1.5:	Changes in stream flow hydrograph as a result of urbanization .....	1-20
Figure 1.6:	Response of stream geometry to urbanization .....	1-21
Figure 1.7:	Relationship between impervious cover and aquatic insect diversity in Anacostia River subwatersheds .....	1-25
Figure 1.8:	Fish diversity in four subwatersheds of different impervious cover in the Maryland Piedmont .....	1-25
Figure 2.1:	Adopted watershed protection plan for the City of High Point, North Carolina.....	2-11
Figure 2.2:	Example of part of a subwatershed base map .....	2-15
Figure 3.1:	Conceptual process for assessing cumulative effects.....	3-11
Figure 3.2:	Conceptual diagram of the stressor identification process.....	3-18
Figure 4.1:	Landowner alternatives for conservation area land management .....	4-6
Figure 4.2:	Schematic of a residential cluster development .....	4-33
Figure 4.3:	Schematic of a rural cluster development .....	4-33
Figure 4.4:	Schematic drawings of conventional (a), parkway (b), and clustered (c) development scenarios for the Chapel Run subdivision .....	4-36
Figure 4.5:	Pedestrian paths (bold lines) can add to the “walkability” of a neighborhood when compared to the sidewalk route .....	4-41
Figure 4.6:	Development of a conservation subdivision. The site before development (a) and as designed with conventional development (b and c); identification of primary (d) and secondary (e) conservation areas; and delineation of potential development areas (f) .....	4-42
Figure 4.7:	Schematic representation of directly connected and not-directly connected impervious areas.....	4-43
Figure 4.8:	Five turnaround options at the end of a residential street .....	4-48
Figure 4.9:	Impervious cover created by each turnaround option shown in Figure 4.8 .....	4-48
Figure 4.10:	Schematic of a dry extended detention pond .....	4-79
Figure 4.11:	Schematic of a wet pond .....	4-80
Figure 4.12:	Schematic of a shallow wetland.....	4-83
Figure 4.13:	Schematic of an infiltration basin.....	4-88
Figure 4.14:	Schematic of an infiltration trench .....	4-89
Figure 4.15:	Photo showing several types of pervious modular pavement installations.....	4-90
Figure 4.16:	Schematic of a surface sand filter .....	4-93

Figure 4.17:	Schematic of an underground sand filter.....	4-94
Figure 4.18:	Schematic of a perimeter sand filter.....	4-95
Figure 4.19:	Schematic of an organic media filter.....	4-96
Figure 4.20:	Schematic of a multi-chambered treatment train .....	4-97
Figure 4.21:	Schematic of a bioretention system.....	4-99
Figure 4.22:	Schematic of a grass channel .....	4-102
Figure 4.23:	Schematic of a dry swale.....	4-103
Figure 4.24:	Schematic of a vegetated filter strip.....	4-107
Figure 4.25:	Runoff pooling on a street surface designed for temporary storage .....	4-109
Figure 4.26:	A rain barrel that collects runoff from a roof gutter downspout .....	4-110
Figure 4.27:	Conventional on-site wastewater treatment system .....	4-123
Figure 4.28:	Septic tank detail .....	4-142
Figure 4.29:	Schematic of a typical mound system.....	4-150
Figure 4.30:	Components of a vegetated submerged bed.....	4-153
Figure 4.31:	Median hydrocarbon concentrations by land use.....	4-181
Figure 5.1:	Schematic of the basic polymer treatment system .....	5-19